

REPORT DOCUMENTATION PAGE				Form Approved OMB No. 0704-0188	
<p>The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Service Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.</p> <p>PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ORGANIZATION.</p>					
1. REPORT DATE (DD-MM-YYYY) 10/18/2017		2. REPORT TYPE Poster		3. DATES COVERED (From - To) 10/18/2017-10/22/2017	
4. TITLE AND SUBTITLE Thoracic Outlet Syndrome: A Unique Presentation of a Primary Intrathoracic Goiter				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S) Capt Joshua Tate				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) 59th Clinical Research Division 1100 Willford Hall Loop, Bldg 4430 JBSA-Lackland, TX 78236-9908 210-292-7141				8. PERFORMING ORGANIZATION REPORT NUMBER 17355	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) 59th Clinical Research Division 1100 Willford Hall Loop, Bldg 4430 JBSA-Lackland, TX 78236-9908 210-292-7141				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; Distribution is unlimited.					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON
a. REPORT	b. ABSTRACT	c. THIS PAGE			Clarice Longoria
					19b. TELEPHONE NUMBER (Include area code) 210-292-7141



Thoracic Outlet Syndrome: A Unique Presentation of a Primary Intrathoracic Goiter

Joshua M. Tate, M.D.¹, Darrick J. Beckman, M.D.¹, Jeffrey A Colburn, M.D.¹, Irene Folaron, M.D.¹, Mark W. True, M.D.¹
¹Dept of Medicine, Endocrinology Service, Brooke Army Medical Center, JBSA-Ft. Sam Houston, Texas



Introduction

- Primary and secondary intrathoracic goiters (P-ITGs and S-ITGs, respectively) account for up to 5.8% of mediastinal masses⁽¹⁾.
- Unlike S-ITGs, P-ITGs are structurally distinct from the cervical thyroid gland and receive their blood supply from mediastinal vessels while only representing 0.2%-1.0% of all ITGs⁽²⁾.
- Although most remain asymptomatic, symptoms typically arise in relation to compression of the esophagus, trachea, or superior vena cava (SVC)⁽³⁾.
- No ITGs have been reported as a source of thoracic outlet syndrome.
- We report a case of a P-ITG causing right-sided thoracic outlet syndrome.

Case Presentation

- 43-year-old female presented with a 1-month history of right arm pain, paresthesia, and weakness with right shoulder pain.
- Patient sent to physical therapy prior to imaging studies, without relief of symptoms.
- Initial imaging, with right shoulder XR (Figure 1), revealed a superior mediastinal mass.
- Chest CT with contrast (Figure 2) confirmed a heterogeneous mass within the superior, anterior mediastinum, measuring 12.1 cm x 7.8 cm x 8.8 cm and extending into the right chest apex.
- Severe compression of the SVC, distal trachea, and main-stem bronchus, with mass effect of the right brachiocephalic vein and artery was noted.
- Fine needle aspiration via endobronchial ultrasound and percutaneous CT-guided core biopsy (Figure 3) of the mass were consistent with benign thyroid tissue.
- Given the massive size and significant compression of surrounding structures, a median sternotomy was completed, with intraoperative findings consistent with imaging results (Figure 5).
- Final pathology: multinodular goiter with focal Hurthle cell change, negative for malignancy, thymic tissue with appropriate age related changes.
- Her thoracic outlet syndrome associated symptoms resolved following surgery.

Figure 1. Initial Right Shoulder XR (10/19/16)



Figure 2. CT Chest with Contrast (10/20/16)




Figure 3. Mediastinal FNA via EBUS and CT-guided core needle biopsy (10/21/16 & 10/26/16)




Figure 5. Gross surgical specimens (10/27/16)-12x10.5x5cm, 369 grams



Discussion/Conclusions

- P-ITGs are known to progress in size over time, and can be relatively large at time of diagnosis due to lack of symptoms until significant compression of adjacent structures occur⁽²⁾.
- The most common symptoms are cough, dyspnea, stridor, dysphagia, and symptoms related to Horner's syndrome and SVC syndrome⁽⁴⁾.
- To our knowledge this is the first reported case of a P-ITG causing thoracic outlet syndrome.
- Therefore, it would be reasonable to add P-ITGs to the list of potential causes of this obstructive condition.

References

- 1.Kanzaki R, Higashiyama M, Oda K, Okami J, Maeda J, Takenaka A, et al. Surgical management of primary intrathoracic goiters. General thoracic and cardiovascular surgery. 2012;60(3):171-4.
- 2.Foroulis CN, Rammos KS, Silell MN, Papakonstantinou C. Primary intrathoracic goiter: a rare and potentially serious entity. Thyroid : official journal of the American Thyroid Association. 2009;19(3):213-8.
- 3.White ML, Doherty GM, Gauger PG. Evidence-based surgical management of substernal goiter. World journal of surgery. 2008;32(7):1285-300.
- 4.Anders HJ. Compression syndromes caused by substernal goitres. Postgraduate medical journal. 1988;74(872):327-9.